



EUFLEXXA POST INJECTION AFTERCARE

WHAT TO EXPECT IMMEDIATE POST PROCEDURE:

AFTER INJECTION	<ul style="list-style-type: none">• Minor discomfort at injection site• Able to walk freely after procedure• Observed in clinic for 5 minutes• Discharged if feeling well and able to drive
------------------------	--

WHAT TO EXPECT IMMEDIATE POST PROCEDURE:

MEDICATION	Manage with over the counter pain relievers (paracetamol, anti-inflammatory such as Aspirin, Advil, Neurofen).
ICE APPLICATION	Application of ice if pain and swelling is present
COMPRESSION	Compression bandage can be used for support.
AVOID	Spa, saunas, pools, swimming due to risk of infection for up to three days after the procedure.

WHAT TO EXPECT IMMEDIATE POST PROCEDURE:

FIRST 24-48 HOURS	Refrain from any activity beyond essential daily tasks- shower, dressing cooking etc
FROM DAY 3	<ul style="list-style-type: none">• Gentle range of motion• Gradually resume normal activities but be cautious to avoid actions that may intensify pain in the injected areas.

*** Patients are strongly encouraged to promptly notify their referring doctor in the event of severe pain, redness, fever or any indications of infection at the injection site. Such situations may necessitate additional evaluation and management, potentially involving the administration of oral or intravenous antibiotics.**

LOCATION

DERRIMUT VILLAGE SHOPPING CENTRE
Shop 26, 20 Mt Derrimut Rd

Phone: 03 8657 4311
Fax : 03 8657 4312
Email: info@prorad.com.au

